

User guide for NCLscripts 2.0

General

PALM produces NetCDF output files of

- 3d
- 2d
- profiles
- timeseries
- spectra

These data can be plotted with the program NCL (<http://www.ncl.ucar.edu/>). NCL is a language designed specifically for scientific data analysis and visualization.

Four NCL scripts and one configuration file exist for PALM users in **trunk/SCRIPTS/NCL** to get a quick overview of the output data:

- ***cross_sections.ncl*** (draws contour, isoline or vector plots (of a 2-dimensional vector) from 2D or 3D data; instantaneous or time-averaged xy, xz, yz or 3D data can be used)
- ***profiles.ncl*** (draws profile line plots from profile or 3D data)
- ***spectra.ncl*** (draws NCL spectra plots from spectra data)
- ***timeseries.ncl*** (draws line plots from timeseries data)
- ***.ncl.config.default*** (default configuration file)

The scripts are run by entering the prompt

ncl path_to_the_script/script_name.ncl

Several parameters can be steered to change the output plots. They can be either written in the prompt or modified within the configuration file ***.ncl.config.default***.

It is recommended to create a personal configuration file by copying the default configuration file ***.ncl.config.default*** to the PALM working directory ***~/palm/current_version*** and naming it ***.ncl.config***. The configuration file contains all steering parameters with a short description and can be modified to personal needs.

For controlling the parameters within the prompt, they need to be written as follows:

ncl path_to_the_script/script_name.ncl parameter=value 'parameter="string"'

Changing of parameters in the configuration file will be ignored if parameters are specified in the prompt. Most parameters are allocated with a suitable default value but some need to be changed before running any script. They are marked with a REQUIRED otherwise with OPTIONAL.

In case of a job chain without extended output files, the scripts will automatically read all necessary files after indicating the first and the last cyclic number.

The following lists give an overview of all existing parameters. Further descriptions can be found in the configuration file **.ncl.config.default**.

Parameter list for cross_sections.ncl:

| | | | |
|---------------------|-------------------------------|---------|--|
| 'file_1' | REQUIRED | string | input file; "/path/name(.nc)" |
| start_f | REQUIRED | integer | first cyclic number |
| end_f | REQUIRED | integer | last cyclic number |
| xyc, xzc, yzc | REQUIRED | integer | [=0] or [=1]; XY- or XZ- or YZ section |
| 'format_out' | OPTIONAL | string | "x11", "pdf", "ps", "eps", "epsi", "ncgm" |
| 'file_out' | OPTIONAL | string | output file; "path/name" |
| no_columns | OPTIONAL | integer | number of plots in one row |
| no_rows | OPTIONAL | integer | number of plots in one column |
| 'sort' | OPTIONAL | string | "layer" or "time" |
| 'var' | OPTIONAL | string | by default all variables otherwise: e.g.: ",u,v," for output of u and v |
| start_time_step | OPTIONAL | double | first time step in [hour] |
| end_time_step | OPTIONAL | double | last time step in [hour] |
| xs | OPTIONAL | double | first value of x range in [meter] |
| xe | OPTIONAL | double | last value of x range in [meter] |
| ys | OPTIONAL | double | first value of y range in [meter] |
| ye | OPTIONAL | double | last value of y range in [meter] |
| zs | OPTIONAL | integer | first index of z-range |
| ze | OPTIONAL | integer | last index of z-range |
| 'mode' | OPTIONAL | string | "Fill" for contour plot , "Line" for isolines, "Both" for both |
| 'fill_mode' | OPTIONAL | string | type of filling the contour plot: "AreaFill", "RasterFill" or "CellFill" |
| shape | OPTIONAL | integer | aspect ratio is kept [=1] or not [=0] |
| font_size | OPTIONAL | float | font size of strings |
| font_size_legend | OPTIONAL | float | font size of legend strings |
| legend_label_stride | OPTIONAL | integer | reduction of number of labels in legend |
| axes_explicit | OPTIONAL | integer | explicit setting of axes is switched on [=1] |
| major_ticks_x | OPTIONAL if axis_explicit = 1 | integer | number of major tick marks at x-axis |
| major_ticks_y | OPTIONAL if axis_explicit = 1 | integer | number of major tick marks at y-axis |

| | | | |
|------------------------------|-------------------------------|---------|--|
| norm_x, norm_y, norm_z | OPTIONAL if axis_explicit = 1 | float | normalising of axes |
| 'unit_x', 'unit_y', 'unit_z' | OPTIONAL if axis_explicit = 1 | string | units of axes |
| vector | OPTIONAL | integer | output of a vector plot [=1] or not [=0] |
| 'vec1' | REQUIRED if vector=1 | string | first component of vector (e.g.: ",u,") |
| 'vec2' | REQUIRED if vector=1 | string | second component of vector(e.g.: ",v,") |
| 'plotvec' | OPTIONAL | string | variable where the vectorplot can overlay if desired (e.g.: ",u,") |
| ref_mag | OPTIONAL | float | length of the vector |

Parameter list for profiles.ncl:

| | | | |
|-----------------|------------------------|---------|---|
| 'file_1' | REQUIRED | string | 1 st input file; "/path/name(.nc)" |
| start_f_1 | REQUIRED | integer | first cyclic number of 1st input file |
| end_f_1 | REQUIRED | integer | last cyclic number of 1st input file |
| 'format_out' | OPTIONAL | string | "x11", "pdf", "ps", "eps", "epsi", "ncgm" |
| 'file_out' | OPTIONAL | string | output file; "path/name" |
| no_columns | OPTIONAL | integer | number of plots in one row |
| no_rows | OPTIONAL | integer | number of plots in one column |
| 'var' | OPTIONAL | string | by default all variables otherwise: e.g.: ",u,v," for output of u and v |
| no_files | OPTIONAL | integer | up to 6 different input files with identical variables and dimensions can be used |
| 'file_2' | REQUIRED if no_files>1 | string | 2 nd input file; "/path/name(.nc)" |
| start_f_2 | REQUIRED if no_files>1 | integer | first cyclic number of 2nd input file |
| end_f_2 | REQUIRED if no_files>1 | integer | last cyclic number of 2nd input file |
| 'file_3' | REQUIRED if no_files>2 | string | 3 rd input file; "/path/name(.nc)" |
| ... | | | |
| 'name_legend_1' | OPTIONAL if no_files>1 | string | legend item 1 can be labeled |
| 'name_legend_2' | OPTIONAL if no_files>1 | string | legend item 2 can be labeled |
| 'name_legend_3' | OPTIONAL if no_files>2 | string | legend item 3 can be labeled |
| ... | | | |
| start_time_step | OPTIONAL | double | first time step in [hour] |
| end_time_step | OPTIONAL | double | last time step in [hour] |
| time_stride | OPTIONAL | integer | temporal stride for the plots |
| start_x | OPTIONAL | integer | start value of x-axis for horizontal averaging if 3D-data is used; in [gridpoint] |
| end_x | OPTIONAL | integer | end value of x-axis for horizontal averaging if 3D-data is used; in [gridpoint] |

| | | | |
|------------------|-----------------------|---------|---|
| start_y | OPTIONAL | integer | start value of y-axis for horizontal averaging if 3D-data is used; in [gridpoint] |
| end_y | OPTIONAL | integer | end value of y-axis for horizontal averaging if 3D-data is used; in [gridpoint] |
| xs | OPTIONAL | float | first value of x axis |
| xe | OPTIONAL | float | last value of x axis |
| min_z | OPTIONAL | double | first value of z-axis in [meter] |
| max_z | OPTIONAL | double | last value of z-axis in [meter] |
| log_z | OPTIONAL | integer | [=1] if logarithmic scale for z otherwise [=0] |
| norm_z | OPTIONAL | float | value for normalising the z-axis |
| over | OPTIONAL | integer | [=1] for predefined overlaying of special variables otherwise [=0] |
| combine | OPTIONAL | integer | [=1] for combining of 2 or 3 variables otherwise [=0] |
| number_comb | REQUIRED if combine=1 | integer | [=2] or [=3] |
| 'c_var' | REQUIRED if combine=1 | string | variables for combining, e.g.: "u,v,w," |
| black | OPTIONAL | integer | [=1] for black or [=0] for coloured lines |
| dash | OPTIONAL | integer | [=1] for dashed or [=0] for continuous lines |
| font_size | OPTIONAL | float | font size of strings |
| font_size_legend | OPTIONAL | float | font size of legend strings |

Parameter list for spectra.ncl:

| | | | |
|--------------------|-------------------------------|---------------|---|
| 'file_1' | REQUIRED | string | input file; "/path/name(.nc)" |
| start_f | REQUIRED | integer | first cyclic number |
| end_f | REQUIRED | integer | last cyclic number |
| 'format_out' | OPTIONAL | string | "x11", "pdf", "ps", "eps", "epsi", "ncgm" |
| 'file_out' | OPTIONAL | string | output file; "path/name" |
| no_columns | OPTIONAL | integer | number of plots in one row |
| no_rows | OPTIONAL | integer | number of plots in one column |
| 'var' | OPTIONAL | string | by default all variables otherwise: e.g.: ",u,v," for output of u and v |
| height_level | OPTIONAL | array integer | indicating which height levels from the input file shall be output; e.g: (/1,2,7/) for level 1,2 and 7; by default all levels |
| 'sort' | OPTIONAL | string | "height" for all heights in one plot or "time" for all time steps in one plot |
| start_time_step | OPTIONAL | double | first time step in [hour] |
| end_time_step | OPTIONAL | double | last time step in [hour] |
| black | OPTIONAL | integer | [=1] for black or [=0] for coloured lines |
| dash | OPTIONAL | integer | [=1] for dashed or [=0] for continuous lines |
| log_x | OPTIONAL | integer | [=1] if logarithmic scale for x otherwise [=0] |
| log_y | OPTIONAL | integer | [=1] if logarithmic scale for y otherwise [=0] |
| norm_x | OPTIONAL | float | value for normalising the x-axis |
| norm_height | OPTIONAL | integer | normalising x-axis with height is switched on [=1] |
| norm_y | OPTIONAL | float | value for normalising the y-axis |
| 'unit_x', 'unit_y' | OPTIONAL if axis_explicit = 1 | string | units of axis |
| font_size | OPTIONAL | float | font size of strings |
| font_size_legend | OPTIONAL | float | font size of legend strings |

Parameter list for timeseries.ncl:

| | | | |
|-----------------|----------|---------|---|
| 'file_1' | REQUIRED | string | input file; "/path/name(.nc)" |
| start_f | REQUIRED | integer | first cyclic number |
| end_f | REQUIRED | integer | last cyclic number |
| 'format_out' | OPTIONAL | string | "x11", "pdf", "ps", "eps", "epsi", "ncgm" |
| 'file_out' | OPTIONAL | string | output file; "path/name" |
| no_columns | OPTIONAL | integer | number of plots in one row |
| no_rows | OPTIONAL | integer | number of plots in one column |
| 'var' | OPTIONAL | string | by default all variables otherwise: e.g.: ",u,v," for output of u and v (one comma before and after each variable!) |
| start_time_step | OPTIONAL | double | first time step in [hour] |
| end_time_step | OPTIONAL | double | last time step in [hour] |
| over | OPTIONAL | integer | [=1] for predefined overlaying of the following sets of variables: (E,E _s), (u _s ,w _s), (u _{max} ,v _{max} ,w _{max}), (z _i _pt,z _i _wpt), (wpt,w _{pptp} ,w _{pptp0}), (pt ₀ _pt_zp ₀ _) otherwise [=0] |
| font_size | OPTIONAL | float | font size of strings |
| norm_t | OPTIONAL | float | normalising t-axis |
| 'unit_t' | OPTIONAL | string | unit of t-axis |

Program crash

If one of the program aborts and there is no comment, check the configuration file - the scripts should not abort with the default values. Be sure to use the right data type (e.g.: integer = **2**; float = **2.0**; double = **2.0d**; string = “**name**”).